



**MOLECULAR KITCHEN
CHEMISTRY;
BOLIVIAN TRADITIONAL
GASTRONOMY;
MOLECULAR CHUFLAY**

**QUÍMICA DE LA COCINA
MOLECULAR;
GASTRONOMÍA TRADICIONAL
BOLIVIANA;
CHUFLAY MOLECULAR**

Received 12 06 2017
Accepted 04 06 2018
Published 04 30 2018

Vol. 35, No.1, pp. 1-5, Ene./Abr. 2018
Revista Boliviana de Química

35(1), 1-5, Jan./Apr. 2018
Bolivian Journal of Chemistry



Short report

Peer-reviewed

Jimena Ortiz¹, José A. Bravo², José L. Vila^{1,*}

¹Natural Product Laboratory, Green Chemistry, Chemical Sciences Department, School of Pure and Natural Sciences FCPN, Universidad Mayor de San Andrés UMSA, P.O. Box 303, Calle Andrés Bello s/n, Ciudad Universitaria Cota Cota, phone +59122772269, La Paz, Bolivia, jvila@umsa.bo, www.umsa.bo

²Natural Product Laboratory, Phytochemistry, Chemical Sciences Department, School of Pure and Natural Sciences FCPN, Universidad Mayor de San Andrés UMSA, P.O. Box 303, Calle Andrés Bello s/n, Ciudad Universitaria Cota Cota, phone +59122792238, La Paz, Bolivia, jabravo@umsa.bo, joseabravo@outlook.com, www.umsa.bo

Keywords: Molecular Kitchen Chemistry, Bolivian Gastronomy, Chuflay.

ABSTRACT

This is a brief experimental description and theoretical approach to preparation of “chuflay”, a Bolivian drink socially widely diffused under a spherification process. The physical presentation of the beverage is under the form of spherical capsule obtained through the gelification of alginate molecules (alginic acid salt) and calcium ions, by the spherification process of the alcoholic chuflay.

*Corresponding author: joselu62@hotmail.com

RESUMEN

Encapsular en forma de esfera la bebida tradicional boliviana denominada “Chuflay”, mediante un proceso de esferificación que consiste en una gelificación entre moléculas de alginato y iones calcio.

INTRODUCTION



Since not long ago, chemistry tools can be applied in a novel field: kitchen and gastronomy. This gives naissance to a new scientific discipline known as molecular kitchen chemistry or molecular gastronomy, being considered as a subdiscipline of food science; its aim is to study transformations, physical or chemical of food ingredients after or during cooking [1,2]. The term "molecular and physical gastronomy" was given to the new discipline by Nicholas Kurti and Hervé This [3-15].

Due to the use of plenty of synthetic substances as flavoring or conservative agents in foods, there seem to be some kind of divorce between chemistry and alimentation, being nowadays the green food much more sought over those products currently offered in the market, submitted to previous physicochemical or chemical processes, it is worth to say: processed foods [16]. However, the relationship between science and food goes further and more recently a bridge between chemistry physics and gastronomy has been established through the development of molecular gastronomy [17-25].

During the last years an important evolution in kitchen and gastronomy took place around the world but more precisely in western European countries namely, France and Spain, with a well reputed culinary development through the centuries until nowadays. These changes are now supported by science, and many recipes have been modified with regard to their methodology by using chemistry laboratory techniques implying the use of highly precise measured masses and volumes, temperatures, times and the using of new products and innovation with new techniques with the aim of assuring reproducibility in the culinary preparations [26].

This is the commencement of the discipline called Molecular Gastronomy, whose final goal is the application of scientific knowledge to gastronomic preparations to afford new forms and textures in foods and demonstrate their scientific basis. Molecular gastronomy's aim is not oriented toward the molecular structure or its transformations due to industrial processes but instead the scientific study of culinary processes already known in order to understand them from a molecular stand point; on the other hand, molecular kitchen as well proposes new techniques taking advantage of scientific knowledge that has not previously applied in kitchen [27-44].

Traditional Bolivian gastronomy: The Chufly [45]

The Bolivian traditional gastronomy's social beverage widely diffused named as "chufly" was born between the end and the beginning of the XIX and XX centuries respectively in Bolivia. It was the preferred drink by British workers of the installation of the occidental railroad net in Bolivia. Its composition was a mixture of Gin and Gingerale (named also as "Gin & Gin"). Due to its mediterranean country condition, furnishing in drinks and foods, which were all imported from England for the British workers of the Bolivian Railway Company, used to be scarce eventually. Thus gin started to be replaced by a Bolivian alcoholic drink "agua ardiente" (burning water) produced by distillation of muscatel grapes in the valleys of southern Bolivia [45].

The new combination, "singani" (burning water) and ginger ale was named "short fly", this was the term given to any temporary rail, usually extended over water soak areas of the rail or any other shortcut due to any other inconvenient in the terrain [45,46]. The term short fly obeys in its meaning to the rapid effect on the brain to become drunk experimented by the consumers. Native Spanish speakers soon transformed the sound of the English expression "short fly" into: "chufly" as a phonetical adaptation of the term [45,47]. See Figure 1.



Figure 1. Chufly, traditional Bolivian gastronomy alcoholic drink



The present short report explains the process of spherification of the alcoholic traditional drink from Bolivia named chufly in order to present it as Chufly Capsules. The process is a gelification between alginate molecules and calcium ions.

RESULTS AND DISCUSSION

Spherification and gelification are produced by the link between solubilized alginate molecules and calcium ions. This is called ionic gelification, external or internal, depending on the corresponding position of the calcium ions (alginate gummies).

Our molecular chufly was obtained by external gelification. The process implies the migration of calcium ions from the inner part of the sphere toward the wall where they link to the alginate present in the solution. The formation of the membrane or gel starts at the interphase of both liquids, advancing toward the inner part while the surface becomes saturated in calcium ions pushing out other ions from the molecular structure of alginate. The whole process depends strongly on the appropriate concentration of calcium ions and the composition of the alginate.

The gelification process is possible when alginate interacts with a calcium solution at low temperatures. Firstly, alginate (in its alginic acid sodium salt form, $[\text{NaC}_6\text{H}_7\text{O}]_n$, or additive E-401), which is a purified substance present in cell walls of algae, interacts with calcium ions forming unions where the latter act as bridges between carboxyl groups of alginate as shown in Figure 2.




Figure 2. Alginate molecules in interaction with Ca^{2+} ions in forming a membrane or gel in molecular chufly preparation

Usually, alginate forms gels are mostly temperature-independent and stable in time. However, exposing for longer periods to heat treatments or extreme pH variations provoke degradation of the membrane (gel). Another aspect to be taken into account concerns its full dependence on pH of the solution. Thus, alginate is only effective at pH values in the range 4-7.

EXPERIMENTAL

The preparation of chufly in laboratory included the distillate singani Casa Real (2oz) and Gingerale (500mL) added with lemon extract (0.5g). The solution was added of calcium gluconolactate (5g), the all was mixed in a rotatory magnetic mixer until the obtaining of a homogeneous mixture (solution A). A sodium alginate (2.5g) aqueous solution (deionized water 500mL) was prepared by mixing in a rotatory magnetic mixer until the obtaining of the



corresponding homogenous mixture (solution B). The transfer of solution A (chufly) by means of Pasteur pipette was done over the beaker with solution B. After 10 minutes, spheres containing molecular chufly appeared in the very interior of the liquid (Figure 3). Spheres were transferred by means of a tea spoon and poured into a beaker containing distilled water.



Figure 3. Molecular chufly

REFERENCES

1. This, H. **2006**, Food for tomorrow? How the scientific discipline of molecular gastronomy could change the way we eat, *EMBO Reports, European Molecular Biology Organization*, 7 (11), 1062–1066, doi:10.1038/sj.embor.7400850, PMC 1679779.
2. Cassi, D. **2011**, Science and cooking: the era of molecular cuisine, *EMBO Reports, European Molecular Biology Organization*, 12, 191–196, doi:10.1038/embor.2011.18, PMC 3059914, PMID 21331098.
3. This, H. **1987**, Combat d'ingénieur pour le goût. *Centraliens*, 491, 19–20.
4. This, H. Les secrets de la casserole, Belin, **1993**, Paris.
5. This, H. *La cuisson: usages, tradition et science*. In: *La cuisson des aliments (7 Rencontres Scientifique et Technologiques des Industries Alimentaires)*, **1994**, Agoral.
6. This, H. La gastronomie moléculaire et physique, Ph.D. thesis, **1995**, University of Paris–VI.
7. This, H. Révélations gastronomiques, Belin, **1995**, Paris.
8. This, H. **1997**, From chocolate béarnaise to “chocolate Chantilly”. *The Chemical Intelligencer*, 3, 52–57.
9. This, H. **1997**, Pommes soufflées, *La Bonne Cuisine*, 136, 68–71.
10. This, H. La casserole des enfants, Belin, **1998**, Paris.
11. This, H. **1998**, A chocolate foam, *The Chemical Intelligencer*, 4, 27–31.
12. This, H. **1999**, Questions of temperature, *Int. J. Sci. Wine Vin.*, 7, 98–102.
13. This, H. **2001**, Comptes rendus des séminaires de gastronomie moléculaire, no. 7, www.sfc.fr, access date: 04/23/2018.
14. This, H. **2001**, La révolution de la gastronomie moléculaire, *Chocolat et Confiserie*, 381, 43–46.
15. This, H., Kurti, N. **1994**, Physics and chemistry in the kitchen, *Scientific American*, 270, 44–50.
16. Adria, F., Blumenthal, H., Keller, T., & McGee, H. (2006, Sunday, 10th December). Statement on the 'new cookery'. *The Observer* <http://www.guardian.co.uk/uk/2006/dec/10/foodanddrink.obsfoodmonthly>
17. This, H. *Surfactants in the kitchen: recent advances in molecular gastronomy*. In: *Actes des Journées Tunisiennes sur les Tensioactifs et Leurs Usages* (j ttu). Tunis: *La Société de Promotion de la Chimie Industrielle et l'Institut National Agronomique de Tunisie*, **2001**.
18. This, H. **2002**, Bassines en cuivre et confiture, *Sci. Ouest*, 191, 7.
19. This, H. **2002**, Cuisine et émulsions, *Revue Générale des Routes*, 809, 59–65.
20. This, H. **2002**, Molecular gastronomy, *Angewandte Chemie* (International Edition in English), 41, 83–88.
21. This, H. *Traité élémentaire de cuisine*, Belin, **2002**, Paris.
22. This, H. **2003**, La gastronomie moléculaire, *Sci. Aliments*, 23, 187–198.
23. This, H. **2004**, Molecular gastronomy (I), *World Food Ingred.*, 3, 22–35.
24. This, H. **2004**, Molecular gastronomy (II): the paradox of culinary innovation, *World Food Ingred.*, 4, 33–39.
25. This, H., Bram, G. **1998**, Liebig et la cuisson de la viande: une remise à jour d'idées anciennes, *C. R. Acad. Sci, Paris, Série IIc*, 675–680.
26. Mans, C., Castells, P. **2011**, La nueva comida científica, *Investigación y Ciencia*, 56–63.
27. Aguilera, J. **2005**, Why food microstructure?, *Journal of Food Engineering*, 67, 3–11.
28. Arboleya, J.C., Olabarrieta, I., Aduriz, A. L., Lasa, D., Vergara, J., Sanmartín, E., et al. **2008**, From the Chef's Mind to the Dish: How Scientific Approaches Facilitate the Creative Process, *Food Biophysics*, 3, 261–268.
29. Blanck, J. **2007**, Molecular Gastronomy: Overview of a Controversial Food Science Discipline, *Journal of Agricultural & Food Information*, 8(3), 77–85.



30. Chossat, V., Gergaud, O. **2003**, Expert Opinion and Gastronomy: The Recipe for Success, *Journal of Cultural Economics*, 27(2), 127-141.
31. Donald, A. **2004**, Food for Thought, *Nature Materials*, 3, 579-581.
32. Edwards-Stuart, R., Valverde, J. **2008**, Food Quality, an issue of molecule-based science, *European Food Research and Technology*, 227, 965-967.
33. Hayllar, B., Griffin, T. **2005**, The Precinct Experience: a phenomenological approach, *Tourism Management*, 26, 517-528.
34. Kurti, N., Kurti, G., But the Crackling Is Superb: An Anthology on Food and Drink by Fellows and Foreign Members of the Royal Society, Institute of Physics Publishing, **1988**, Oxford.
35. Kvale, S. **1983**, The Qualitative Research Interview: A Phenomenological and Hermeneutical. Mode of Understanding, *Journal of Phenomenological Psychology*, 14(4), 171-196.
36. Morrison, A., O'Gorman, K. D. **2008**, Hospitality Studies and Hospitality Management: A Symbiotic Relationship, *International Journal of Hospitality Management*, 27(2), 214-227.
37. Ottenbacher, M., Harrington, R. J. **2007**, The Innovation Development Process of Michelin Starred Chefs, *International Journal of Contemporary Hospitality Management*, 19(6), 444-460.
38. Rodgers, S. **2008**, Technological innovation supporting different food production philosophies in the food service sectors. *International Journal of Contemporary Hospitality Management*, 20(1), 19-34.
39. Slavkin, H. **1999**, Toward 'Molecular Gastronomy,' or What's in a Taste?, *Journal of the American Dental Association*, 130, 1497-1500.
40. Svejenova, S., Mazza, C., Planellas, M. **2007**, Cooking Up Change in Haute Cuisine: FerranAdrià as an Institutional Entrepreneur, *Journal of Organizational Behavior*, 28(5), 539-561.
41. Thompson, C., Locander, W., Pollio, H. **1989**, Putting consumer experience back into consumer research: The philosophy and method of existential phenomenology, *Journal of Consumer Research*, 16, 133-146.
42. Thompson, C. J. **1997**, Interpreting Consumers: A Hermeneutical Framework for Deriving Marketing Insights from the Texts of Consumers' Consumption Stories, *Journal of Marketing Research*, 34(4), 428-455.
43. Van der Linden, E., McClements, D., Ubbink, J. **2008**, Molecular Gastronomy: A Food Fad or an Interface for Science-based Cooking? *Food Biophysics*, 3, 246-254.
44. Vega, C., Ubbink, J. **2008**, Molecular gastronomy: a food fad or science supporting innovative cuisine? *Trends in Food Science & Technology*, 19, 372-382.
45. https://es.wikipedia.org/wiki/Chuflyay#cite_note-1, access date: 04/23/2018.
46. <http://www.modelrailroadforums.com/forum/showthread.php?t=9838>, access date: 04/23/2018.
47. Rocha-Monroy, R., Crítica a la Sazón Pura, Editorial El País, **2004**, Cochabamba.