

Mini Review Article



Impact of deforestation in Ethiopia Impacto de la deforestación en Etiopía





Article Data

Ethiopian Environment and Forest Research Institute.

Plantation and Agroforestry. Jimma Environment and Forest Research Center. Jimma, Ethiopia.

Tel: +215911802789

*Contact address:

Ethiopian Environment and Forest Research Institute.

Plantation and Agroforestry. Jimma Environment and Forest Research Center. Jimma, Ethiopia. Tel: +215911802789

Kasu Hailu Biru

E-mail address: kasuhailu128@gmail.com

Keywords:

Deforestation, biodiversity loss, global warming, soil erosion, wood famine

J. Selva Andina Biosph. 2022; 10(2):86-95.

Article ID: 122/JSAB/2022

Article history.

Received March, 2022. Returned August, 2022. Accepted September, 2022. Available online. November 2022.

Edited by: Selva Andina Research Society

Palabras clave:

Deforestación, pérdida de biodiversidad, calentamiento global, erosión del suelo, carencia de madera.

Abstract

Ethiopia is an agrarian country with a notable topographic variety from 110m below sea level at Dalol Depression to 4620m above sea stage at Mount Ras Dashin. Because of its topographic variation and area within the tropics, Ethiopia has diverse weather situations and the ensuing numerous ecosystems. As an end result, the country Is nicely endowed in natural resources. However, deforestation has long gone for the closing five decades. Forests which were above 40 % of the country's landmass in the beginning of 20th century are reduced into 2.36 % in 2000. Deforestation has many negative consequences including the loss of biodiversity, climate change, and degradation of soils, disruption of hydrological cycles, desertification, economic loss, and social conflicts. The rate of deforestation is often bogged down considerably and its negative socioeconomic and environmental impacts are often minimized through improved protection and management of the remaining forests, well-targeted socioeconomic improvement initiative, and via policy and organization reforms. Developing countries, like Ethiopia, are highly susceptible to the impacts of global climate change due to their limited potential to mitigate and adapt. Therefore, the subsequent mitigation measures are mandatory to save lots of the country. These are providing energy sources, conserving the remaining natural forests, market plantations, and regeneration of abandoned agricultural fields.

2022. Journal of the Selva Andina Biosphere®. Bolivia. All rights reserved.

Resumen

Etiopía es un país agrario con una notable variedad topográfica desde los 110 m bajo el nivel del mar en la Depresión de Dalol hasta los 4620 m sobre el nivel del mar en el Monte Ras Dashin. Debido a su variación topográfica y área dentro de los trópicos, Etiopía tiene diversas situaciones climáticas y los consiguientes numerosos ecosistemas. Como resultado, el país está muy bien dotado de recursos naturales. Sin embargo, la deforestación se ha prolongado durante las cinco últimas décadas. Los bosques que superaban el 40 % de la masa terrestre del país a principios del siglo XX se reducen al 2.36 % en 2000. La deforestación tiene muchas consecuencias negativas, como la pérdida de biodiversidad, el cambio climático y la degradación de los suelos, la interrupción de los ciclos hidrológicos, la desertificación, pérdidas económicas y conflictos sociales. La tasa de deforestación a menudo se empantana considerablemente y sus impactos socioeconómicos y ambientales negativos a menudo se minimizan mediante una mejor protección y gestión de los bosques restantes, una iniciativa de mejora socioeconómica bien dirigida y reformas políticas y organizativas. Los países en desarrollo, como Etiopía, son muy susceptibles a los impactos del cambio climático global debido a su limitado potencial para mitigar y adaptarse. Por lo tanto, las medidas de mitigación posteriores son obligatorias para salvar gran parte del país. Estos están proporcionando fuentes de energía, conservando los bosques naturales restantes, plantaciones comerciales y regeneración de campos agrícolas abandonados.

2022. Journal of the Selva Biosphere®. Bolivia. Todos los derechos reservados.



Introduction

In an agrarian society like Ethiopia, forestry can play massive role in monetary improvement. The forestry gross domestic product (GDP) as a proportion of the economy as a whole and very low compared to agriculture. The share of forestry in GDP has fluctuated between 2 and 2.6 % from 1971 to 1985 and fell to 1.9 from 1986 to 1987. If the direct consumption of raw materials including gas wood and charcoal and indirect contribution of wooded area to watershed control and soil conservation and people of forest product used in other production and construction tricks are included in the calculation, the contribution of the forestry in total GDP and agricultural GDP will be much higher around 10 % and more. The main impact of deforestation is rapid population growth, which leads to an increasing demand for arable land and pasture, firewood and construction wood². The absence of viable land use policy and law has also exarbated the rate deforestation. Resettlement in forests increases from time to time and thus leads to conversion of forest areas in agricultural and other land use systems. The few remaining high forests are currently threatened by pressure from investor convert evergreen montane rain forests to other land use system such as coffee and tea plantations.

Trees and forests make contribute to a lot of approaches to a wealth of products and services that can be used to enhance the wellness of populations of nations. Forest, except its direct contribution to the county-wide economy through timber and non-timber products, contributes appreciably to numerous sectors of the country-wide economic system along with energy, agriculture, meals, industry, health, environment, tourism, and the like. In general, the monetary contributions of wooded areas at a countrywide scale may be visible from numerous angles along with employment era, incomes overseas foreign money through export, financial saving through im

port substitutions in addition to the oblique contribution through aid to every other sector of the economy, especially agriculture³. The progressively developing populace strain and agricultural enlargement in Ethiopia will un avoidably growth the wooded area source usage (production and gasoline timber, timber, etc.), and hence, unique sort of unsustainable wooded area usage will take place (fires, encroachment, logging, cultivation, urbanization) in coming many years in the long run main to the whole wooded area depletion. Based on the maximum current estimates of the charges of deforestation and assuming that 75 % of the wooded area losses are a consequence of agricultural enlargement, it is miles envisioned that over the subsequent 25 years the agriculture area would require a further two hundred to 300 million hectares of the latest land to house the needs of business farming, subsistence cropping, pasture and variety most of this growth in the land region will come on the price of forests land⁴. Therefore, deforestation and wooded area degradation is one of the severe environmental projects in Ethiopia, and additionally the fundamental underlying reasons for declining agricultural productivity. Destruction of the herbal forests of Ethiopia consequences immediately in the lack of unaccounted plant and animal species in addition to in a scarcity of fuel wood, wood, and different wooded area products. It additionally circuitously results in greater irritated soil erosion, deterioration of the water quality, similarly drought and flooding, the discount of agricultural productivity, and an ever-growing poverty of the agricultural populace. It is apparent that the depletion of wooded area sources contributes appreciably to the climatic and bodily modification of the environment.

Weather exchange is a chief threat to sustainable increase and development in Africa and the success of the Millennium development goals. Africa is partic-

ularly prone to weather trade due to its overdependence on rain-fed agriculture, compounded via elements that include sizable poverty and weak ability⁶.

Table 1 The land cover types of Ethiopian and their magnitude/proportion⁵

Land cover types	Area in hectares	Percentage (%)
	2015	2015
Forest	11527356	10.01
High woodland area	8466166	7.35
Plantations	972000	.84
Low woodland+shrub land	40631285.24	35.3
Other land	52685000	45.76
Inland water	828277	.7
Total	115110084.24	

The longer- term impacts include dynamical rain patterns moving agriculture and reducing food security, worsening water security, decreasing fish resources in massive lakes because of rising temperature, shifting vector- borne diseases, rising water levels moving low-lying coastal areas with massive populations, and rising water stress. As an African nation, the Federal Democratic Republic of Ethiopia also will be adversely laid low by the consequences of worldwide warming and deforestation similarly. Probably, the country is one of the first victims of worldwide warming among African countries thanks to prolonged drought and land degradation, which square measure in the main attributed to heating and partly to deforestation. The Federal Democratic Republic of Ethiopia, limitations to the opportunities for financial gain generation caused by ecological and socioeconomic constraints exacerbated by a mounting population pressure have, over the years, forced individuals to cultivate marginal lands and permit overgrazing and also the felling of trees, so catalyzing a spiral of environmental degradation⁸. These have vulnerable the food security of this nation quite the other country within the continent. The growth of geological processes as a result of greenhouse gases (GHG) emissions has aggravated the matter of drought that claimed the lives of many in the past². The target of the study was to review the cause and impact of deforestation, global climate changes, and their mitigation measures in the Federal Democratic Republic of Ethiopia.

Development

Forest in Ethiopia. Several authors and national or sub- national inventory comes have dispensed assessments and documented the extent of forest resources and different land uses in Ethiopia. In line with the planet Biomass Inventory and Strategic coming up with Project Woody Biomas Inventory Strategic Planning Project of Ethiopia (WBISPP)⁵ there are nine major land cowl varieties in Ethiopia. The recent forest proclamation (No. 542/2007) has additionally recognized high forests, woodlands, and bamboo as forests. Supported WBISPP, the land use/land cowl statistics in Ethiopia indicates that woody vegetation together with high forests cowl over five-hundredths of the land⁵. If the shrublands are value- added to the current (considering the definition of Intergovernmental Panel on Climate Change (IPCC) for forest), the calculable cowl is over 50 % (61.62 million ha). Succeeding largest land use kind is plow land with 18.6 % cowl⁵.

In Ethiopia, forests play a vital role in tempering the results of climate and facilitating the shield of vital water catchments, trees additionally offer a large variety of products together with food and fruits, fodder for eutherian, and drugs for each individual and eutherian. Forests offer products of business, cultural and sacred values, and they comprise a significant safety web in times of would like. Trees additionally retain soil water and stop wearing away since the roots of trees shield the soil against washout 10-12. Deforestation and land degradation in Ethiopia but, are impairing the capability of forests and also the land to contribute to food security and to supply different advantages like fuel wood and fodder 13.

Table 2 Ethiopian Forest information

Total Forest cover(1000 ha)			
1990	2000	2005	2010
15114	13705	13000	12296

Annual change rate (1000 ha), Negative number represents deforestation 14

1990-2000	2000-2005	2005-2010
-141	-141	-141

Annual change rate (Percent), Negative number represents deforestation

1990-2000	2000-2005	2005-2010
-0.93	-1.03	1.08
Edding to Mining	· C +	1000

Ethiopian Ministry of water resource 1999

Table 3 Primary forest loss and tree cover loss (ha): Ethiopia

Year	Primary forest	Tree cover (30 %)
Primary loss 2002-2018	63.736	
Tree cover loss 2001-2018		370127
Primary loss/ Total tree cover loss	17.2 %	
Percent loss 2001-2018	3.4 %	
Loss/year(2001/2-2010)	3140.33	17703
Loss/year(2011-2018)	4434.13	25632

Cause and impact of deforestation in Ethiopia

Cause of deforestation. Deforestation is that the permanent conversion of forests to another land cowl, nearly always to crops, pastures, or plantations like feather palm³. Consistent with the United Nations (UN) agency, deforestation is outlined because of the conversion of forests to different land use or the longrun reduction of the tree cover cowl below the 10 % threshold as outlined for forests. Forests may be lost either as a result of forest resources and trees don't seem to be thought to be of economic importance, or attributable to a policy framework that produces it doable to exchange forests with alternative land uses (for instance agriculture, pasture, mining, infrastructure development or urbanization). Typically, this can be supported by short maximization of economic

returns and lack of accessory forest policies suported sensible understanding of the potential of forests as sources of financial gain and product for native and regional markets and their associated services for alternative sectors of the economy. Being the advanced method it's, deforestation can't be stapled right down to any explicit cause. Even within the most oversimplified analysis of one case, varied factors are going to be command responsible. These factors relate to numerous advanced relationships that differ from place to position, from time to time, and from one case of deforestation to the opposite. Any try at characteristic explicit drivers of deforestation is an endeavor to considerably alter reality therefore on ready to be of it 15 additionally explained deforestation because of the product of the interaction of the numerous environmental, social, economic, cultural and political forces at adding any given region. The combo of those forces varies from decade to decade and from country to country. As a consequence, generalizations are dangerous. There are direct causes of deforestation. These direct causes are, however, driven by only 1 indirect or underlying cause which is the demand for forest land and resources. In gift day the Federal Democratic Republic of Ethiopia, forests are being destroyed at a fearsome rate, and also the space coated by forests at the present is just a pair of 2.4 % compared to the calculable 40 % initial coverage¹⁶. Though several human and natural factors are accountable for the gradual decline within the vegetation cowl of the country, the first causes of natural forest destruction are consistent with the Environmental Protection Agency (EPA)^{12,16,17}. i). Rising stipulate for tree products, that is, fuelwood, transmission poles, creation wooden, farm implements, fodder etc. ii). Changing forest land to arable and shifting cultivation, urbanization, etc. as associate example, at intervals in the middle and lower afloat depression alone (a neighborhood of the Afar Region), 45931 hectares of land are used for irrigated crop production. There's as well an oversized hazard to the plants as wooden is needed for production functions¹⁶. iii). Increasing population pressure, leading to actual human and animal populations exceptional the carrying capability of the land.

Humans are equal to natural conditions that have several intense adverse results of the higher than 3 factors¹⁷. These are overall lack, at the national or native level, of the political can, leadership, and awareness of the negative consequences of deforestation and failure to wish adequate measures to counter it, lack of policies and measures of action, or inconsistency between population policies and natural resources policies, failure to relate biology policies to overall development, periodic drought incidences, uncontrolled fire, villagization policy of the Derg government that dominated the country between 1974 and 1991, villages were established really with connotation wherever the remaining patches of natural forests were situated, this fashion several forests are ravaged, and etc. In addition to the deforestation caused by approachable desires, negligent equally as wanton destruction (such as by fire), do contribute to deforestation. These styles of deforestation became tons and additional frequent at intervals over the last twenty years. This has been an amount throughout that security of tenure and access to natural resources were undermined by unpopular policy measures like frequent distribution of land and restrictions in cutting and utilizing trees, even in one's own yard. Serious destruction of forests has occurred between the time year of the previous government and the stabilization of this one $\frac{16}{10}$.

Impact of deforestation in Ethiopia

Loss of biodiversity. Forest and commonly biomass degradation, nevertheless as sequent land degradation, purpose the destruction and erosion of diverseness of every flora and animals. Additionally, specifically, the destruction of habitats, the creation of a narrow spectrum of crop varieties, and chronic droughts, nevertheless as wars and conflicts are

moreover referred to as effects of the most ordinary reasons for the erosion of diversity in the country. Visible of the currently developing conflicts among diverseness conservation and agricultural wants, there may be a come- at- capin position hazard that conservation of diverseness can also additionally lose 9.16.

Soil erosion. The blended impact of steep topography, excessive depth rain storms, degraded vegetation, significant cultivation, overgrazing, and soil with depleted natural depends results in severe soil erosion. Referred to 17, it's far indicated that over 14 million ha (27 %) of the Ethiopian excessive lands had been critically eroded out of which approximately 1/2 need to be absolutely withdrawn from agriculture to reforestation. An extra thirteen million ha (23 %) are reasonably eroded, and of the ultimate 28 million ha, 15 million ha are at risk of erosion. Deforestation has caused the depletion of soil nutrients. contributing to low agricultural productivity and constrained home meal resources in sub-Saharan Africa¹⁰. Land degradation in flip significantly impacts agricultural productivity and manufacturing. In 1990 alone, for instance, decreased soil intensity as a result of erosion led to a grain manufacturing lack of 57000 (at 3.5 mm soil loss) to 128000 t (at 8 mm soil intensity). It has been anticipated that the grain manufacturing misplaced because of land degradation in 1990 might have been enough to feed greater than 4 million human beings 18.

Climate change (Global warming). Ethiopia did now no longer purpose weather extrude, however, the United States of America is faced with the risk that it poses, and needs to apprehend the possibility that it presents. Climate extrusion isn't a destiny opportunity for Ethiopia, it's far a gift reality. That is why it's far vital that the United States of America commenced shielding its human beings and environment, even at the identical time constructing an inexperienced economic system on the way to assist to realize

the targets set out within side the Growth and Transformation Plan.

It is feared that the outcomes of weather extremes can be maximum extreme for the world's poorest nations. Africa is exceptionally prone to weather extremes with the region of the unique problems being water sources, agriculture, fitness, ecosystems and biodiversity, forestry, and coastal zones. Agricultural manufacturing, which includes getting the right of entry to meals, in lots of African nations and subregions is projected to be critically compromised via way of means of weather variability and extrude. The region appropriate for agriculture, the period of developing seasons, and yield potential, especially alongside the margins of semi-arid and arid regions, are anticipated to decrease. This could similarly adversely affect meal protection and exacerbate malnutrition withinside the continent. In a few nations, like Ethiopia, yields from rain-fed agriculture might be decreased via way of means of as much as 50 % via way of means in 2020^{7} . The effect of weather extrude on Ethiopia is greater reported via way of means alarming lack of wooded area useful resources. Africa has the bottom GHG emissions but is hit toughest via way of means of weather extrude. Adaptation to the unavoidable influences of weather extrude will want sturdy help via way of means of the worldwide network and contain all stakeholders which include the personnel sector.

Wood famine. A massive deficit (timber famine) took place considering 1992 (33.1 million m³), and the gas timber deficit amounted to 32.5 million m³. This deficit is the principal purpose for the "mining" (the quantity of timber harvested in a given duration exceeding the sustainable rate/incremental yield) of the wooded area useful resource base of the country. This results in a discount within side the woody biomass boom inventory and destiny incremental yields 18.

Addressing the impact of deforestation and climate change in Ethiopia. Deforestation and wooded area degradation ought to be reversed to help the ongoing provision of financial and environmental offerings and boom in GDP. Fuelwood bills for greater than 80 % of households' power delivery today especially in rural regions. Furthermore, forests make contributions an envisioned 4 % to GDP thru the manufacturing of honey, wooded area coffee, and timber. They additionally offer giant and valuable eco-device offerings: they guard soil and water sources via way of means of controlling the release of water to streams and rivers, maintain biodiversity, characteristic as a carbon sink, ease the air to create crucial fitness benefits, and raise land fertility. Despite their financial and environmental value, Ethiopian forests are beneath neath threat. The developing populace calls for greater fuel wood and greater agricultural manufacturing, in flip growing desires for brand spanking new farmland, each of which boosts up deforestation and wooded area degradation. Projections suggest that until movement is taken to extrude the conventional improvement path, a place of nine million ha is probably deforested between 2010 and 2030. Over the equal duration, annual fuelwood intake will upward push via way of means of 65 % main to wooded area degradation of greater than 22 million tons of woody biomass. Besides the projects in different sectors which include agriculture to lessen the stress on forests, the Climate-Resilient Green Economy (CRGE) initiative has prioritized the subsequent techniques that would assist to increase sustainable forestry and decrease gas timber demand: i). Reduce the call for gasoline wood through the dissemination and utilization of gasoline-green stoves and/or alternative-gasoline cooking and baking techniques (inclusive of electric, or biogas stoves) main to decreased wooded area degradation, ii). Increase afforestation, reforestation, and wooded area control to boom carbon sequestration in forests and woodlands.

These tasks might bring about an expanded garage of carbon in Ethiopia's forests, offer a foundation for sustainable forestry, or even permit the forestry zone to yield bad emissions, i.e., shop greater carbon in developing forests than is emitted from deforestation and wooded area degradation. iii). Promoting location closure through rehabilitation of degraded pastureland and farmland, main to stronger soil fertility and thereby making sure extra carbon sequestration. Ethiopia's promising environmental campaigns: A success story. With an aim of mitigating the results of weather extrude inclusive of drought and soil erosion, Ethiopia has embarked upon an intensive aforestation application particularly because of the flip of its new millennium through a marketing campaign "Two Trees for 2000". Since then, it's been transplanting numerous tree seedlings throughout its territory to repair its wooded area-depleted regions, especially via way of means of regarding actively the exceptional segments of the society. Though the aforestation campaign, which Ethiopia has embarked upon, will assist lessen soil erosion and flooding, it might now no longer allow the use of a to keep away from the results of weather extrude inclusive of drought, desertification, and pollutants as a result of greenhouse fuel line emission.

Addressing troubles inclusive of those calls for the collaboration of all international locations within side the African place which can be the number one sufferers of weather extrude due to the fact weather extrude is international in its nature and dimensions. All international locations have to agree on a long-time period international stabilization purpose and a way of allocating the attempt equitably and consistent with the not unusual place however differentiated duties of the UN Framework hence, Ethiopia has joined African international locations in their renewed combat in opposition to inexperienced residence emissions⁷. Strong commitments to emission discounts via way of means of evolved international

locations and different predominant emitters in addition to REDD from tropical international locations inclusive of Ethiopia, could be key to limiting the bad effect of weather extrude on Africa and mobilizing more flows of carbon finance.

Moreover, Ethiopia has initiated the CRGE initiative to defend itself from the detrimental results of weather extrude and to construct an inexperienced financial system with a view to assisting comprehend its ambition of attaining a center profits reputation earlier than 2025. Climate resilience is the cap potential to manage with, and manipulate the extrude introduced via way of means of climate stresses and shocks. Building a weather-resilient financial system is consequently approximately adapting successfully to weather extrude to limit the capacity harm and to maximize the capacity benefits. Ethiopia is a signatory to a maximum of the important thing global environmental conventions inclusive of the Convention on Biological Diversity (CBD), the UN Convention to Combat Desertification (UNCCD), the UN Framework Convention on Climate Change (UNFCCC) the Convention on International Trade in Endangered Species (CITES). Acknowledging such crucial conventions and thinking about them because those as country legal guidelines and regulations are indicative of the government's dedication to the difficulty of the environment. These conventions may assist in assisting to growth wooded area cowl via economic guide.

Conclusion

Forests play an indispensable role in maintaining an environment conducive to sustainable development. Forest outside their own short and long term beneficial effect on weather and climate conditions, play a key role in controlling soil erosion, environmental degradation and desertification problems that seem

to have peaked in Ethiopia. The main impact of deforestation in Ethiopia, the country with high population growth, low agricultural productivity and poor economic performance are changing agriculture, livestock and fuel in drier areas. Deforestation contributes to global climate change and is often cited as one of the main impact of the increased greenhouse effect. In addition, the decrease in forest reduces the landscape's ability to intercept, retain and evaporate precipitation. Instead of that capturing precipitation which then infiltrates ground water, deforested areas become sources of water runoff, which move much water than ground currents and then erode the productive part of the soil.

The significance of woodland and bushes to hobby version and mitigation, livelihood, monetary set-up, watersheds, and agricultural manufacturing is wellknown. However, deforestation poses the best threat to the remnant forests in numerous components of Ethiopia. Continued deforestation could result in scarcity of wooden and non-wooden merchandise, ecological degradation and lack of diversity, deterioration of watersheds and watershed offerings, and emission of GHG in addition to reducing carbon sequestration. This trend, therefore, needs to be reversed. Because of this, reducing emissions from deforestation and forest degradation in developing countries REDD has moved to center stage in the international climate debate in recent years. Hence, efforts want to be pressured to be exerted with the aid of using all involved our bodies and oldsters to halt deforestation and depletion of the remnant herbal forests and earth flowers of the country.

Funding source

I am ensured that this study didn't get any financial support from any funding agencies

Conflicts of interest

No potential conflict of interest

Acknowledgements

I wish to express my sincere gratitude to the Ethiopian environment and Forest Research Institute for providing me chance to attend MSc program at Haramaya University College of Agriculture and Environmental Science. Gratefull thanks for my brother Adisu Hailu for both his ideal as well as financial support.

Ethical considerations

I declared that this manuscript is not submitted for possible publication to other journal publishers. In addition to this, I confirmed that this result is free of research misconduct.

Research limitations

Ethiopian population cannot be considering future outcome of forest clear rather than fulfill want they needs, so by doing the review Ethiopian have a hint the impact of forest clear in their future event.

Cited Literature

- Zeleke G, Hurni H. Implications of land use and land cover dynamics for mountain resource degradation in the northwestern Ethiopia highlands. Mt Res Dev 2001;21(2):184-91. DOI: https://doi.org/10.1659/0276-4741(2001)021[0184:IOLUAL]2. 0.CO;2
- 2. Hobbs RJ, Harris JA. Restoration ecology: repairing the earth's ecosystems in the new millennium. Restor Ecol 2001;9(2):239-46. DOI: https://doi.org/10.1046/j.1526-100x.2001.009002239.x

- 3. National biodiversity strategy and action plan [Internet]. United Nations Development Programme. 2016 [cited 5 March 2022]. Retrieved from: https://www.undp.org/timor-leste/projects/national-biodiversity-strategy-and-action-plan?utm_source=EN&utm_medium=GSR&utm_content=US_UNDP_PaidSearch_Brand_English&utm_campaign=CENTRAL&c_src=CENTRAL&c_src2=GSR&gclid=Cj0KCQiA45qdBhD-ARIsAOHb_VdFa-BJM4XZjBS1NCtP5PsaDyxLlOYhR-GWfMjPykCPFFXZKEkdCgkQQaAvPTEALw_wcB
- 4. Kelbessa E, Demissew S, Woldu Z, Edwards S. Some threatened endemic plants of Ethiopia. In: Edwards S, Asfaw Z, editors. The Status of Some Plants in Parts of Tropical Africa, Botany. Addis Ababa: Addis Ababa University; 2000: p. 35-55.
- Woldu Z. The Population, Health and Environment Nexus. The need for integration and networking [Internet]. Ethiopia: Population, Health and Environment; 2008 [cited 2 May 202]. 34 p. Retrieved from: https://ehproject.org/PDF/phe/woldu-phe_ethiopia2008.pdf
- Benhin JKA. Climate change and South African agriculture: impacts and adaptation options [Internet]. South Africa: Center for Environmental Economics and Policy in Africa; 2006 South Africa [cited 3 May 2022]. p. 114. Retrieved from: https://www.weadapt.org/sites/weadapt.org/files/legacy-new/knowledge-base/files/5370f181a5
 657504721bd5c21csouth-african-agriculture.pdf
- 7. Africa Partnership Forum. Climate Change and Africa. In: 8th Meeting of the Africa Partnership Forum Berlin, Germany: 22-23 May 2007. New Partnership for Africa's Development [Internet]. Berlin: Africa Partnership Forum; 2007 [cited 3 May 2022]. p. 1-28. Retrieved from: https://www.iri.edu.ar/publicaciones_iri/anuario/CD%20Anuario%202008/Africa/APF/38897900.pdf

- 8. Roper J, Roberts RW. Deforestation: Tropical forests in decline. Canadian International Development Agency Forestry Advisers Network; 2006.
- United States Agency for International Development. Ethiopia Biodiversity and Tropical Forests 118/119 Assessment [Internet]. New York: United States Agency for International Development; 2008 [cited 26 April 2022]. Report No.: EPIQ IQC: EPP-I-00-03-00014-00, Task Order 02. Retrieved from: https://usaidgems.org/Documents/FAA&Regs/FAA118119/Ethiopia2010.pdf
- 10.Mekonnen A, Köhlin G. Biomass Fuel Consumption and Dung Use as Manure: Evidence from Rural Households in the Amhara Region of Ethiopia. Environ Dev 2008 EfD DP 08-17.
- 11. Muys B, Gebrehiwot K, Aerts R, Hail M, Deckers J. Perspectives for the rehabilitation of dryland forests in Ethiopia. J Drylands 2006;1(2):217-20.
- 12.Teketay D, Fetene M, Abate A. The state of the environment in Ethiopia past, present and future prospect [Internet]. Ethiopia: Forum for Social Studies; 2003 [cited 22 May 2022]. 37 p. Retrieved from: https://www.researchgate.net/publication/312474596 State of the Environment in Ethiopia Past Present and Future Prospects
- 13.Bishaw B. Deforestation and land degradation on the Ethiopian highlands: A strategy for physical recovery. Northeast Afr Stud 2001;8(1):7-26. DOI: https://doi.org/10.1353/nas.2005.0014
- 14.Ministry of water resources. Ethiopian water resources management policy [Internet]. Ethiopia: The Federal Democratic Republic of Ethiopia; 1999 [cited 2 May 2022]. 47 p. Retrieved from: https://faolex.fao.org/docs/pdf/eth158196a.pdf
- 15.Yengoh TY. Explaining the causes of deforestation with the hyde model (A Conceptual Framework) [Internet]. International Institute for Applied Systems Analysis; 2008 November [cited 15]

May 2022]. 41 p. Interim Report: IR-08-039. Retrieved from: https://pure.iiasa.ac.at/id/eprint/87 49/1/IR-08-039.pdf

- 16.Environmental protection authority Addis Ababa. National action programme to combat desertification [Internet]. Ethiopia: Federal Democratic Republic of Ethiopia [cited 2 April 2022]. 158 p. Retrieved from: https://www.unccd.int/sites/default/files/naps/ethiopia-eng2000.pdf
- 17. Hamito D. Research methods in forestry principles and practices with particular reference to Ethiopia. Deventer: Larenstein University of Professional Education; 2001.682 p.

18.Carvalho G, Moutinho P, Nepstad D, Mattos L, Santilli M. An amazon perspective on the forest-climate connection: opportunity for climate mitigation, conservation and development? In: Wass mann R, Vlek PLG, editors. Tropical Agriculture in Transition - Opportunities for Mitigating Green house Gas Emissions?. Switzerland: Springer Nature; 2004. p. 163-74. DOI: https://doi.org/10.1007/978-94-017-3604-6 9

Editor's Note:

Journal of the Selva Andina Biosphere (JSAB). All statements expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, editors and reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.